

PRODUCT SPECIFICATION

Product NameAnti-TP63Product NumberHPA007010Gene Descriptiontumor protein p63ClonalityPolyclonalIsotypeIgGHostRabbitAntigen SequenceRecombinant Protein Epitope Signature Tag (PrEST) antigen sequence: MMGTHMPMAGDMNGLSPTQALPPPLSMPSTSHCTPPPPYPTDCSIVSFLA RLGCSSCLDYFTTQGLTTIYQIEHYSPurification MethodAffinity purified using the PrEST antigen as affinity ligandVerified Species ReactivityHumanRecommended ApplicationsIHC (Immunohistochemistry) - Antibody dilution: 1:50 - 1:200		
Gene Descriptiontumor protein p63ClonalityPolyclonalIsotypeIgGHostRabbitAntigen SequenceRecombinant Protein Epitope Signature Tag (PrEST) antigen sequence: MMGTHMPMAGDMNGLSPTQALPPPLSMPSTSHCTPPPPYPTDCSIVSFLA RLGCSSCLDYFTTQGLTTIYQIEHYSPurification MethodAffinity purified using the PrEST antigen as affinity ligandVerified Species ReactivityHumanRecommended ApplicationsIHC (Immunohistochemistry) - Antibody dilution: 1:50 - 1:200	}	Product Name
ClonalityPolyclonalIsotypeIgGHostRabbitAntigen SequenceRecombinant Protein Epitope Signature Tag (PrEST) antigen sequence: MMGTHMPMAGDMNGLSPTQALPPPLSMPSTSHCTPPPYPTDCSIVSFLA RLGCSSCLDYFTTQGLTTIYQIEHYSPurification MethodAffinity purified using the PrEST antigen as affinity ligandVerified Species ReactivityHumanRecommended ApplicationsIHC (Immunohistochemistry) - Antibody dilution: 1:50 - 1:200	10	Product Number
IsotypeIgGHostRabbitAntigen SequenceRecombinant Protein Epitope Signature Tag (PrEST) antigen sequence: MMGTHMPMAGDMNGLSPTQALPPPLSMPSTSHCTPPPPYPTDCSIVSFLA RLGCSSCLDYFTTQGLTTIYQIEHYSPurification MethodAffinity purified using the PrEST antigen as affinity ligandVerified Species ReactivityHumanRecommended ApplicationsIHC (Immunohistochemistry) - Antibody dilution: 1:50 - 1:200	tein p63	Gene Description
HostRabbitAntigen SequenceRecombinant Protein Epitope Signature Tag (PrEST) antigen sequence: MMGTHMPMAGDMNGLSPTQALPPPLSMPSTSHCTPPPPYPTDCSIVSFLA RLGCSSCLDYFTTQGLTTIYQIEHYSPurification MethodAffinity purified using the PrEST antigen as affinity ligandVerified Species ReactivityHumanRecommended ApplicationsIHC (Immunohistochemistry) - Antibody dilution: 1:50 - 1:200	ll state of the second s	Clonality
Antigen SequenceRecombinant Protein Epitope Signature Tag (PrEST) antigen sequence: MMGTHMPMAGDMNGLSPTQALPPPLSMPSTSHCTPPPPYPTDCSIVSFLA RLGCSSCLDYFTTQGLTTIYQIEHYSPurification MethodAffinity purified using the PrEST antigen as affinity ligandVerified Species ReactivityHumanRecommended ApplicationsIHC (Immunohistochemistry) - Antibody dilution: 1:50 - 1:200		Isotype
MMGTHMPMAGDMNGLSPTQALPPPLSMPSTSHCTPPPYPTDCSIVSFLA RLGCSSCLDYFTTQGLTTIYQIEHYS Purification Method Affinity purified using the PrEST antigen as affinity ligand Verified Species Human Reactivity IHC (Immunohistochemistry) Applications - Antibody dilution: 1:50 - 1:200		Host
Verified Species Human Reactivity IHC (Immunohistochemistry) Applications - Antibody dilution: 1:50 - 1:200	MAGDMNGLSPTQALPPPLSMPSTSHCTPPPPYPTDCSIVSFLA	Antigen Sequence
Reactivity IHC (Immunohistochemistry) Applications - Antibody dilution: 1:50 - 1:200	rified using the PrEST antigen as affinity ligand	Purification Method
Applications - Antibody dilution: 1:50 - 1:200		
- Retrieval method: HIER pH6 ICC-IF (Immunofluorescence) - Fixation/Permeabilization: PFA/Triton X-100 - Working concentration: 0.25-2 µg/ml	y dilution: 1:50 - 1:200 al method: HIER pH6 nmunofluorescence) /Permeabilization: PFA/Triton X-100	
Characterization Data Available at atlasantibodies.com/products/HPA007010	at atlasantibodies.com/products/HPA007010	Characterization Data
Buffer 40% glycerol and PBS (pH 7.2). 0.02% sodium azide is added as preservative.	erol and PBS (pH 7.2). 0.02% sodium azide is added as preservative.	Buffer
Concentration Lot dependent	ndent	Concentration
Storage Store at +4°C for short term storage. Long time storage is recommended at -20°C.	-4°C for short term storage. Long time storage is recommended at -20°C.	Storage
Notes Gently mix before use. Optimal concentrations and conditions for each application sho be determined by the user. For protocols, additional product information, such as images and references, see atlasantibodies.com.	nined by the user. cols, additional product information, such as images and references, see	Notes

Product of Sweden. For research use only. Not intended for pharmaceutical development, diagnostic, therapeutic or any in vivo use. No products from Atlas Antibodies may be resold, modified for resale or used to manufacture commercial products without prior written approval from Atlas Antibodies AB.

Warranty: The products supplied by Atlas Antibodies are warranted to meet stated product specifications and to conform to label descriptions when used and stored properly. Unless otherwise stated, this warranty is limited to one year from date of sales for products used, handled and stored according to Atlas Antibodies AB's instructions. Atlas Antibodies AB's sole liability is limited to replacement of the product or refund of the purchase price. All products are supplied for research use only. They are not intended for medicinal, diagnostic or therapeutic use. No products from Atlas Antibodies may be resold, modified for resale or used to manufacture commercial products without prior written approval from Atlas Antibodies AB Rev. December 2012

Phone

Bankgiro