

## PRODUCT SPECIFICATION

Product Name Anti-RBM15 Product Number HPA019824 Gene Description RNA binding motif protein 15 Clonality Polyclonal Isotype IgG Host Rabbit Antigen Sequence Recombinant Protein Epitope Signature Tag (PrEST) antigen sequence: DTYPPSASVVGASVGGHRHPPGGGGGQRSLSPGGAALGYRDYRLQQLALG RLPPPPPPPLPRDLERERDYPFYERVRPAYSLEPRVGAGAGAAPFREVDE TSPEDDQRANRTLFL  Purification Method Affinity purified using the PrEST antigen as affinity ligand  Verified Species Reactivity Recommended Applications HLC (Immunohistochemistry) - Antibody dilution: 1:50 - 1:200 - Retrieval method: HIER pH6 WB (Western Blot) - Working concentration: 0.04-0.4 μg/ml ICC-IF (Immunofluorescence) - Fixation/Permeabilization: PFA/Triton X-100 - Working concentration: 0.25-2 μg/ml  Characterization Data Available at atlasantibodies.com/products/HPA019824  Buffer 40% glycerol and PBS (pH 7.2). 0.02% sodium azide is added as preservative. Concentration Storage Store at +4°C for short term storage. Long time storage is recommended at -20°C.  Notes Gently mix before use. Optimal concentrations and conditions for each application should be determined by the user. For protocols, additional product information, such as images and references, see atlasantibodies.com.		
Gene Description         RNA binding motif protein 15           Clonality         Polyclonal           Isotype         IgG           Host         Rabbit           Antigen Sequence         Recombinant Protein Epitope Signature Tag (PrEST) antigen sequence: DTYPPSASVVGASVGGHRHPPGGGGGQRSLSPGGAALGYRDYRLQQLALG RLPPPPPPPLPRDLERERDYPFYERVRPAYSLEPRVGAGAGAAPFREVDE ISPEDDQRANRTLFL           Purification Method         Affinity purified using the PrEST antigen as affinity ligand           Verified Species Reactivity         Human           Recommended Applications         IHC (Immunohistochemistry)	Product Name	Anti-RBM15
Clonality Polyclonal Isotype IgG Host Rabbit Antigen Sequence Recombinant Protein Epitope Signature Tag (PrEST) antigen sequence: DTYPPSASVVGASVGGHRHPPGGGGGRSLSPGGAALGYRDYRLQQLALG RLPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP	Product Number	HPA019824
Isotype	Gene Description	RNA binding motif protein 15
Host       Rabbit         Antigen Sequence       Recombinant Protein Epitope Signature Tag (PrEST) antigen sequence: DTYPPSASVVGASVGGHRHPPGGGGGQRSLSPGGAALGYRDYRLQQLALG RLPPPPPPPPPDRDLERERDYPFYERVRPAYSLEPRVGAGAGAAPFREVDE ISPEDDQRANRTLFL         Purification Method       Affinity purified using the PrEST antigen as affinity ligand         Verified Species Reactivity       Human         Recommended Applications       IHC (Immunohistochemistry)         - Antibody dilution: 1:50 - 1:200       - Retrieval method: HIER pH6 WB (Western Blot)         - Working concentration: 0.04-0.4 μg/ml ICC-IF (Immunofluorescence)       - Fixation/Permeabilization: PFA/Triton X-100         - Working concentration: 0.25-2 μg/ml       Available at atlasantibodies.com/products/HPA019824         Buffer       40% glycerol and PBS (pH 7.2). 0.02% sodium azide is added as preservative.         Concentration       Lot dependent         Store at +4°C for short term storage. Long time storage is recommended at -20°C.         Rotes       Gently mix before use. Optimal concentrations and conditions for each application should be determined by the user.         For protocools, additional product information, such as images and references, see	Clonality	Polyclonal
Antigen Sequence Recombinant Protein Epitope Signature Tag (PrEST) antigen sequence: DTYPPSASVVGASVGGHRHPPGGGGGQRSLSPGGAALGYRDYRLQQLALG RLPPPPPPPPLPRDLERERDYPFYERVRPAYSLEPRVGAGAGAAPFREVDE ISPEDDQRANRTLFL  Purification Method Affinity purified using the PrEST antigen as affinity ligand  Verified Species Reactivity  Recommended Applications  IHC (Immunohistochemistry) - Antibody dilution: 1:50 - 1:200 - Retrieval method: HIER pH6 WB (Western Blot) - Working concentration: 0.04-0.4 μg/ml ICC-IF (Immunofluorescence) - Fixation/Permeabilization: PFA/Triton X-100 - Working concentration: 0.25-2 μg/ml  Characterization Data Available at atlasantibodies.com/products/HPA019824  Buffer 40% glycerol and PBS (pH 7.2). 0.02% sodium azide is added as preservative.  Concentration Storage Store at +4°C for short term storage. Long time storage is recommended at -20°C.  Gently mix before use. Optimal concentrations and conditions for each application should be determined by the user. For protocols, additional product information, such as images and references, see	Isotype	lgG
DTYPPSASVVGASVGGHRHPPGGGGGQRSLSPGGAALGYRDYRLQQLALG RLPPPPPPPPPPLPRDLERERDYPFYERVRPAYSLEPRVGAGAGAAPFREVDE ISPEDDQRANRTLFL  Purification Method  Verified Species Reactivity  Recommended Applications  IHC (Immunohistochemistry)  - Antibody dilution: 1:50 - 1:200  - Retrieval method: HIER pH6 WB (Western Blot)  - Working concentration: 0.04-0.4 µg/ml ICC-IF (Immunofluorescence)  - Fixation/Permeabilization: PFA/Triton X-100  - Working concentration: 0.25-2 µg/ml  Characterization Data  Available at atlasantibodies.com/products/HPA019824  Buffer  40% glycerol and PBS (pH 7.2). 0.02% sodium azide is added as preservative.  Concentration  Storage  Store at +4°C for short term storage. Long time storage is recommended at -20°C.  Notes  Gently mix before use. Optimal concentrations and conditions for each application should be determined by the user.  For protocols, additional product information, such as images and references, see	Host	Rabbit
Verified Species Reactivity  Recommended Applications  IHC (Immunohistochemistry) - Antibody dilution: 1:50 - 1:200 - Retrieval method: HIER pH6 WB (Western Blot) - Working concentration: 0.04-0.4 μg/ml ICC-IF (Immunofluorescence) - Fixation/Permeabilization: PFA/Triton X-100 - Working concentration: 0.25-2 μg/ml  Characterization Data Available at atlasantibodies.com/products/HPA019824  Buffer  40% glycerol and PBS (pH 7.2). 0.02% sodium azide is added as preservative.  Concentration Storage Store at +4°C for short term storage. Long time storage is recommended at -20°C.  Notes  Gently mix before use. Optimal concentrations and conditions for each application should be determined by the user. For protocols, additional product information, such as images and references, see	Antigen Sequence	DTYPPSASVVGASVGGHRHPPGGGGGQRSLSPGGAALGYRDYRLQQLALG RLPPPPPPPLPRDLERERDYPFYERVRPAYSLEPRVGAGAGAAPFREVDE
Recommended Applications  - Antibody dilution: 1:50 - 1:200 - Retrieval method: HIER pH6 WB (Western Blot) - Working concentration: 0.04-0.4 μg/ml ICC-IF (Immunofluorescence) - Fixation/Permeabilization: PFA/Triton X-100 - Working concentration: 0.25-2 μg/ml  Characterization Data Available at atlasantibodies.com/products/HPA019824  Buffer 40% glycerol and PBS (pH 7.2). 0.02% sodium azide is added as preservative.  Concentration Storage Store at +4°C for short term storage. Long time storage is recommended at -20°C.  Notes Gently mix before use. Optimal concentrations and conditions for each application should be determined by the user. For protocols, additional product information, such as images and references, see	Purification Method	Affinity purified using the PrEST antigen as affinity ligand
Applications  - Antibody dilution: 1:50 - 1:200 - Retrieval method: HIER pH6 WB (Western Blot) - Working concentration: 0.04-0.4 μg/ml ICC-IF (Immunofluorescence) - Fixation/Permeabilization: PFA/Triton X-100 - Working concentration: 0.25-2 μg/ml  Characterization Data Available at atlasantibodies.com/products/HPA019824  Buffer 40% glycerol and PBS (pH 7.2). 0.02% sodium azide is added as preservative.  Concentration Lot dependent  Storage Store at +4°C for short term storage. Long time storage is recommended at -20°C.  Notes Gently mix before use. Optimal concentrations and conditions for each application should be determined by the user. For protocols, additional product information, such as images and references, see		Human
Buffer 40% glycerol and PBS (pH 7.2). 0.02% sodium azide is added as preservative.  Concentration Lot dependent  Storage Store at +4°C for short term storage. Long time storage is recommended at -20°C.  Notes Gently mix before use. Optimal concentrations and conditions for each application should be determined by the user.  For protocols, additional product information, such as images and references, see		- Antibody dilution: 1:50 - 1:200 - Retrieval method: HIER pH6 WB (Western Blot) - Working concentration: 0.04-0.4 μg/ml ICC-IF (Immunofluorescence) - Fixation/Permeabilization: PFA/Triton X-100
Concentration  Storage  Store at +4°C for short term storage. Long time storage is recommended at -20°C.  Notes  Gently mix before use. Optimal concentrations and conditions for each application should be determined by the user.  For protocols, additional product information, such as images and references, see	Characterization Data	Available at atlasantibodies.com/products/HPA019824
Storage Store at +4°C for short term storage. Long time storage is recommended at -20°C.  Notes Gently mix before use. Optimal concentrations and conditions for each application should be determined by the user.  For protocols, additional product information, such as images and references, see	Buffer	40% glycerol and PBS (pH 7.2). 0.02% sodium azide is added as preservative.
Notes  Gently mix before use. Optimal concentrations and conditions for each application should be determined by the user.  For protocols, additional product information, such as images and references, see	Concentration	Lot dependent
be determined by the user. For protocols, additional product information, such as images and references, see	Storage	Store at +4°C for short term storage. Long time storage is recommended at -20°C.
	Notes	be determined by the user. For protocols, additional product information, such as images and references, see

Product of Sweden. For research use only. Not intended for pharmaceutical development, diagnostic, therapeutic or any in vivo use. No products from Atlas Antibodies may be resold, modified for resale or used to manufacture commercial products without prior written approval from Atlas Antibodies AB.

Warranty: The products supplied by Atlas Antibodies are warranted to meet stated product specifications and to conform to label descriptions when used and stored properly. Unless otherwise stated, this warranty is limited to one year from date of sales for products used, handled and stored according to Atlas Antibodies AB's instructions. Atlas Antibodies AB's sole liability is limited to replacement of the product or refund of the purchase price. All products are supplied for research use only. They are not intended for medicinal, diagnostic or therapeutic use. No products from Atlas Antibodies may be resold, modified for resale or used to manufacture commercial products without prior written approval from Atlas Antibodies AB Rev. December 2012

Atlas Antibodies AB Phone +46(0)8 54 59 58 50 IBAN SE91 6000 0000 0004 6991 6761 Bankgiro 5469-1092